



# City of San Dimas

## Building and Safety Division

Phone: (909) 394-6260 E-Mail: [building@sandimasca.gov](mailto:building@sandimasca.gov)

### PHOTOVOLTAIC SUBMITTAL

PROJECT INFORMATION			
Project Address:		Permit Number:	
Work Description:			

**Highlight on the plan submittal each of the following and list specifically on what sheet the information can be found.**

- “The conduit shall be painted to match the adjacent surface colors”
  - **Sheet Number:** \_\_\_\_\_ **NOTE:** \_\_\_\_\_
- “The conduits shall be installed greater than 7/8-inch above the roof surface”
  - **Sheet Number:** \_\_\_\_\_ **NOTE:** \_\_\_\_\_
- The modules shall be set back from the edge of the roof (both eave and rake) a minimum of 12-inches.
  - **Sheet Number:** \_\_\_\_\_ **NOTE:** \_\_\_\_\_
- Fire Type of the Module (Must be a Numeric Value).
  - **Example:** Type 1
  - **Sheet Number:** \_\_\_\_\_ **NOTE:** \_\_\_\_\_
- Racking System listing for use with the Fire type of module being submitted to show compliance with roof fire classification.
  - **Example:** Class A with Type 1 or Type 2 Modules
  - **Sheet Number:** \_\_\_\_\_ **NOTE:** \_\_\_\_\_
- Module not to exceed 6-inch in height above the roof deck.
  - **Sheet Number:** \_\_\_\_\_ **NOTE:** \_\_\_\_\_